



ภาคผนวก ฉ
ผลการทดสอบสมมติฐาน

ลิขสิทธิ์มหาวิทยาลัยราชภัฏสุราษฎร์ธานี
Copyright© Suratthani Rajabhat University
All Right Reserved

		t1	t2	t3	t4	t5	t6	t	q1	q2	q3	q
t6	Pearson Correlation	.304**	.276**	.411**	.359**	.489**	1	.614**	.178*	.129	.007	.137
	Sig. (2-tailed)	.000	.001	.000	.000	.000		.000	.033	.123	.931	.100
	N	145	145	145	145	145	145	145	145	145	145	145
t	Pearson Correlation	.762**	.767**	.850**	.770**	.806**	.614**	1	.164*	.099	.043	.135
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000		.049	.236	.603	.106
	N	145	145	145	145	145	145	145	145	145	145	145
q1	Pearson Correlation	.125	.118	.107	.151	.078	.178*	.164*	1	.341**	.237**	.694**
	Sig. (2-tailed)	.135	.159	.200	.069	.353	.033	.049		.000	.004	.000
	N	145	145	145	145	145	145	145	145	145	145	145
q2	Pearson Correlation	.176*	.010	.106	.110	-.061	.129	.099	.341**	1	.431**	.789**
	Sig. (2-tailed)	.034	.902	.205	.187	.469	.123	.236	.000		.000	.000
	N	145	145	145	145	145	145	145	145	145	145	145
q3	Pearson Correlation	.158	.028	.015	.052	-.048	.007	.043	.237**	.431**	1	.757**
	Sig. (2-tailed)	.058	.736	.859	.535	.565	.931	.603	.004	.000		.000
	N	145	145	145	145	145	145	145	145	145	145	145
q	Pearson Correlation	.206*	.068	.100	.139	-.015	.137	.135	.694**	.789**	.757**	1
	Sig. (2-tailed)	.013	.414	.229	.096	.855	.100	.106	.000	.000	.000	
	N	145	145	145	145	145	145	145	145	145	145	145

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

สมมติฐานที่ 2 การทำงานเป็นทีมที่ส่งผลต่อประสิทธิภาพการทำงานของพนักงานบริษัทการบิน
กรุงเทพฯ จำกัด (มหาชน) สนามบินสมุย จังหวัดสุราษฎร์ธานี

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	t6, t2, t4, t1, t5, t3 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: q

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.323 ^a	.105	.066	.34668	1.504

a. Predictors: (Constant), t6, t2, t4, t1, t5, t3

b. Dependent Variable: q

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1.936	6	.323	2.685	.017 ^a
	Residual	16.585	138	.120		
	Total	18.522	144			

a. Predictors: (Constant), t6, t2, t4, t1, t5, t3

b. Dependent Variable: q

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	3.348	.306		10.927	.000
	t1	.205	.086	.285	2.374	.019
	t2	-.047	.074	-.073	-.626	.532
	t3	-.062	.089	-.090	-.694	.489
	t4	.167	.083	.239	2.007	.047
	t5	-.189	.079	-.290	-2.378	.019
	t6	.117	.067	.164	1.741	.084

a. Dependent Variable: q

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	3.8275	4.4680	4.1099	.11596	145
Residual	-1.24802	.94283	.00000	.33938	145
Std. Predicted Value	-2.435	3.088	.000	1.000	145
Std. Residual	-3.600	2.720	.000	.979	145

a. Dependent Variable: q